

Issued July 2013

2013

Healthcare-Associated Infections in North Carolina

Reporting Period:
January 1 – March 31, 2013

Healthcare Consumer Version



Introduction

The prevention of healthcare-associated infections is a public health priority in North Carolina and is a collaborative effort among the healthcare and public health communities. This July 2013 Healthcare-Associated Infections report is an important product of this collaboration. Included in this report is information about infections occurring in North Carolina short-term acute care hospitals, long-term acute care hospitals, and inpatient rehabilitation facilities from January 1 through March 31, 2013. Data included in this report are preliminary and therefore subject to change.

This report focuses on three important types of healthcare-associated infections that may occur while patients are hospitalized: central line-associated bloodstream infections, catheter-associated urinary tract infections, and surgical site infections (specifically those following abdominal hysterectomies or colon surgeries). These three infections account for a large proportion of infections and deaths attributed to healthcare, but they do not represent the full spectrum of healthcare-associated infections.

This report was prepared by the North Carolina Healthcare-Associated Infections Prevention Program in the Communicable Disease Branch of the Epidemiology Section of the North Carolina Division of Public Health. The N.C. Healthcare-Associated Infections Prevention Program works to eliminate preventable infections in health care settings by:

1. Conducting statewide surveillance for selected healthcare-associated infections;
2. Providing useful, unbiased information to health care providers and consumers;
3. Promoting and coordinating prevention efforts; and
4. Responding to outbreaks in health care settings.

We hope that the information in this report will be useful to healthcare consumers. Data are intended to provide an understanding of the burden of healthcare-associated infections in North Carolina and an opportunity to evaluate infection rates across the state. Prevention tips are also provided so readers can take steps to minimize their risk of acquiring a healthcare-associated infection (Appendix C). A separate, more technical healthcare provider version of this report is also available at <http://epi.publichealth.nc.gov/cd/diseases/hai>. We welcome your feedback to improve the usefulness of future reports (nchai@dhhs.nc.gov).

For more information on Healthcare-Associated Infections and the N.C. Healthcare-Associated Infections Prevention Program, please visit <http://epi.publichealth.nc.gov/cd/diseases/hai>.

Acknowledgements

The North Carolina Healthcare-Associated Infections Prevention Program would like to acknowledge and thank hospital infection preventionists across the state, who work tirelessly to protect patients from infection. These preventionists provided the data used to create this report and worked with their hospital colleagues to identify and reconcile any potential problems with the data. This acknowledgement and gratitude extends to the hospital. While reporting of healthcare-associated infections is required, their support for healthcare-associated infections reporting and efforts to assure accurate reporting of infections is appreciated. The recent successes in fighting healthcare-associated infections would not have been possible without the continuing efforts, dedication and collaboration of hospitals and hospital infection preventionists.

The Healthcare-Associated Infections Prevention Program would also like to recognize the contributions of the Healthcare-Associated Infections Advisory Group members listed in Appendix D. In particular, the program is grateful to the Subgroup on Reporting and Surveillance for their thoughtful feedback on the presentation and content of these quarterly reports.

Finally, the program would like to acknowledge our partners, who have been important leaders and strong supporters of surveillance and prevention programs for healthcare-associated infections in North Carolina. These include the North Carolina Hospital Association, the North Carolina Statewide Program for Infection Control and Epidemiology, the North Carolina Chapter of the Association for Professionals in Infection Control and Epidemiology, the Carolinas Center for Medical Excellence, and the Adult Care Licensure and Nursing Home Licensure and Certification sections of the North Carolina Division of Health Service Regulation.

Table of Contents

Introduction.....	i
Acknowledgements	ii
I. Success Story: Working Toward Eliminating Healthcare-Associated Infections in North Carolina	1
II. Surveillance for Healthcare-Associated Infections in North Carolina	2
III. Hospital-Specific Summary Reports.....	3

APPENDICES:

APPENDIX A. Definitions	
APPENDIX B. Acronyms	
APPENDIX C. Healthcare-Associated Infections Prevention Tips	
APPENDIX D. N.C. Healthcare-Associated Infections Advisory Group	
APPENDIX E. Healthcare Facility Groupings, 2012 National Healthcare Safety Network Annual Hospital Survey	

I. Success Story: Working Toward Eliminating Healthcare-Associated Infections in North Carolina

Wayne Memorial Hospital's Journey to Zero CLABSI

Leaders at Wayne Memorial Hospital (WMH) have collaborated to develop several strategies to overcome the challenge of bloodstream infections associated with central lines (CLABSIs). In 2011, WMH detected a total of 30 CLABSIs. At the beginning of 2011, the rate of CLABSI was 4.75 infections per 1,000 central line days; significantly exceeding the Duke Infection Control Outreach Network (DICON) benchmark of 2.6 infections per 1,000 central line days. Data review demonstrated that 13 of 30 (43%) CLABSIs were from Port-A-Catheters*. Their goal of the intervention was to reduce CLABSIs to zero to prevent patient harm.

A multi-disciplinary performance improvement team collaborated on potential areas for improvement. The following recommendations for house-wide implementation for the insertion and care of central lines were made:

- Utilization of sterile maximum barrier equipment during central line insertion;
- Implementation of the use of a low profile Port-A-Catheter needle;
- Replacement of current central line dressing with a more adhesive version;
- Incorporation of a chlorhexidine gluconate impregnated antimicrobial dressing;
- Evaluation and improvement of the central line blood draw process;
- Implementation of disinfecting end caps for IV access ports;
- Decreasing the frequency of intravenous (IV) tubing changes.

Also instituted was increased central line surveillance. Unit level directors performed a daily review and validated the necessity of the device. Technology was a vital component in this surveillance. A clinical panel was created within the electronic medical record, providing a snapshot overview of the type of IV access each patient had on a particular unit. Additionally, as a staff engagement practice, unit directors utilized a "Days Since" application for Smartphone devices to track and post the number of days since their last CLABSI. Patient safety huddles and bi-weekly patient care conferences have promoted a shift in focus to include early invasive device removal.

Notable improvements have been made in reducing the prevalence of central lines and resulting infections. Overall CLABSI rates have shown a steady decline from 2.83 infections per 1,000 central line days in 2010 to 0.98 infections per 1,000 central line days in 2012, a reduction of 66%. Additionally, WMH has a lower percentage of central line use compared to peer organizations in the DICON benchmarking group.

Multidisciplinary collaboration was the key driver in developing effective CLABSI reduction strategies which aligned with the organization's mission. The use of multifaceted approaches has been shown to provide significant reductions in preventable infections and provide great potential for overall mortality reduction.

*A **port-a-cath(eter)** is a small medical appliance that is implanted beneath the skin. A catheter connects the port-a-cath to a vein. Under the skin, the port-a-cath has a resealing rubber center through which drugs can be injected and blood samples can be drawn, usually with less discomfort for the patient than a more typical "needle stick".

II. Surveillance for Healthcare-Associated Infections in North Carolina

Healthcare-associated infections (HAIs) are infections caused by a variety of organisms – including bacteria, viruses and fungi – contracted while receiving medical care. As part of the concerted effort to reduce such types of infections, hospitals report specific types of HAIs to the N.C. Division of Public Health (DPH) as required by law (General Statute 130A-150). Since 2012, they have been reporting central line-associated bloodstream infections (CLABSI), catheter-associated urinary tract infections (CAUTI), and surgical site infections (SSI) occurring after inpatient abdominal hysterectomies or colon surgeries. Beginning in January 2013, short-term acute care hospitals began reporting of laboratory-confirmed (LabID) bloodstream infections caused by methicillin-resistant *Staphylococcus aureus* (MRSA) and infections caused by *Clostridium difficile* (*C. diff*).

By North Carolina law, hospital reporting requirements are based on the reporting requirements established by the Centers for Medicare and Medicaid Services (CMS).

HAI information is entered into the CDC web-based surveillance system called the National Healthcare Safety Network (NHSN). The N.C. HAI Program works with hospitals on a monthly basis to ensure their data are accurate and timely. All data in NHSN are entered and modified by hospitals; the N.C. HAI Program cannot change data in NHSN.

To learn more about CLABSIs, CAUTIs, SSIs, MRSA, *Clostridium difficile* and other HAIs, please visit the N.C. Healthcare-Associated Infections website at <http://epi.publichealth.nc.gov/cd/diseases/hai.html>. In addition to information about specific infections, there is a link to the “Facts and Figures” webpage (<http://epi.publichealth.nc.gov/cd/hai/figures.html>), which includes current and previous reports. The Healthcare-Associated Infection in North Carolina - Reference Report issued in October 2012 and revised in June 2013, contains background information on HAIs, HAI surveillance in North Carolina, and detailed information on statistics commonly used to describe and summarize HAIs. Subsequent reports, published quarterly, cover timely state-level and facility-specific data on the incidence of healthcare associated infections in hospitals across the state, as well as information on the creation and progress of various initiatives to reduce HAIs.

According to N.C. Administrative Code rules (10A North Carolina Administrative Code 41A .0106), North Carolina hospitals are required to report the healthcare-associated infections listed in the CMS-IPPS Rule.¹ A list of these conditions and the starting dates for reporting are included in Table 1.

Table 1: Requirements for Reporting of Healthcare-Associated Infections from N.C. Hospitals¹

HAI Event	Facility Type	Reporting Start Date
Central line-associated bloodstream infections (CLABSI)	Short-term Acute Care Hospitals: Adult, Pediatric, and Neonatal ICUs	January 2011
Catheter-associated urinary tract infections (CAUTI)	Short-term Acute Care Hospitals: Adult and Pediatric ICUs	January 2012
Surgical site infections (SSI)	Short-term Acute Care Hospitals: Colon and abdominal hysterectomy procedures	January 2012
CLABSI	Long-Term Care Hospitals*	October 2012
CAUTI	Long-Term Care Hospitals*	October 2012
CAUTI	Inpatient Rehabilitation Facilities	October 2012
MRSA bacteremia (laboratory identified)	Short-term Acute Care Hospitals including Specialty Hospitals	January 2013
<i>Clostridium difficile</i> (laboratory identified)	Short-term Acute Care Hospitals including Specialty Hospitals	January 2013

*Long-Term Care Hospitals are called Long-Term Acute Care Hospitals in the National Healthcare Safety Network.

¹ Centers for Medicare and Medicaid Services. Acute Inpatient Prospective Payment System. www.cms.gov/AcuteInpatientPPS/FR2012/list.asp. Accessed September 25, 2012.

III. Hospital-Specific Summary Reports

A. Explanation of the Hospital-Specific Summary Reports

Each hospital-specific summary report contains up to five sections: 1) general hospital information, 2) central line-associated bloodstream infections (CLABSI), 3) catheter associated urinary tract infections (CAUTI), 4) surgical site infections (SSI) after abdominal hysterectomies and colon surgeries, and 5) commentary from the hospital. These sections are described below. Note: Data on LabID events will be published in the October 2013 quarterly report.

These reports cover the first three months of 2013 and data were downloaded from NHSN on June 6, 2013; any changes made to the data after this date are not reflected in this report. Before reviewing this report, a few clarifications about the data need to be made:

1. The data are preliminary. Although efforts were made by hospitals and the N.C. HAI Program to ensure that the data were accurate and complete, a formal validation of the data has not yet been performed. Until data validation is completed, data should be interpreted with caution.
2. The data were self-reported. Although efforts were made through education and training to improve understanding of NHSN surveillance guidelines, definitions, and criteria, there can be variability in interpretation and application, leading to differences in reporting practices among hospitals. This issue will be addressed by data validation.
3. The rates of infections were not included for HAIs in a few facilities. Calculating rates with small numbers in the denominator will lead to an unstable estimate. Therefore the N.C. HAI Program chose not to present rates for units, procedures or hospitals that did not meet a minimum threshold value for the reporting period. The minimum threshold numbers are based on CDC recommendations for reporting healthcare-associated infection data:
 - Central line-associated bloodstream infections: 50 central line days;
 - Catheter-associated urinary tract infections: 50 catheter days; and
 - Surgical site infections: 20 surgeries.

1. 2012 Hospital Survey Information

This section contains general information about the hospital and includes a map of where the hospital (blue “H” icon) is located in North Carolina. Data in this section are from the NSHN 2012 Annual Hospital Survey.

2. Central Line-Associated Bloodstream Infections (CLABSI)

Short-term acute care hospitals

CLABSIs are reported from hospitals with ICUs (adult, pediatric, and neonatal). Data are presented at the hospital-level and include a table with the number of CLABSIs, central line days, and rate. The rate is the number of CLABSIs divided by the number of central line days multiplied by 1,000 to get “per 1,000 central line days.” A figure is also included to show the hospital CLABSI rate in comparison to other similarly-sized short-term acute care hospitals and N.C. Interpretations of rate comparison are also provided (Table 1).

Table 1. Interpretation of Rate Comparisons including Further Explanation.

Interpretation of Results	Explanation
Hospital rate is not different from similarly-sized hospitals (or NC hospitals overall)	There was no statistically significant difference in the rates between the hospital and similarly-sized hospitals (or NC hospitals overall).
Hospital rate is (higher or lower) than similarly-sized hospitals (or NC hospitals overall).	The hospital rate was statistically significantly higher (or lower) than the rate of similarly-sized hospitals (or NC hospitals overall).
A comparison to similarly-sized hospitals (or NC hospitals overall) was not conducted.	Due to low numbers, a comparison between the hospital rate and rates of similarly-sized hospitals (or NC hospitals overall) was not computed.

Long-term acute care hospitals

CLABSIs are reported from adult and pediatric ICUs and wards. As with short-term acute care hospitals, this section includes a table and a figure about CLABSIs at the hospital-level. The data included in the table are the number of CLABSIs, central line days, and rate. The figure in this section includes the hospital CLABSI rate in comparison to all other long-term acute care hospitals in N.C. An interpretation of the rate comparison is provided (see Table 1).

3. Catheter-Associated Urinary Tract Infections (CAUTI)

Short-term acute care hospitals

CAUTIs are reported from adult and pediatric ICUs and inpatient rehabilitation wards. Like the section on CLABSIs, this section includes a table and figure about CAUTIs.

Long-term acute care hospitals

CAUTIs are reported from adult and pediatric ICUs and wards. The content of the CAUTI section for long-term acute care hospitals is similar to CLABSIs in long-term acute care hospitals.

Inpatient rehabilitation facilities

CAUTIs are reported from adult and pediatric rehabilitation wards. Hospital-specific summary reports are only generated for free-standing inpatient rehabilitation facilities; data from inpatient rehabilitation wards within short-term acute care hospitals are included in their respective hospital-specific summary reports.

Data in the tables are at the hospital-level and includes the number of CAUTI infections, number of catheter days, and the CAUTI rate for all reporting wards. The figure includes the CAUTI rate for the facility in comparison to all other rehabilitation wards in N.C., both free-standing and within short-term acute care hospitals. An interpretation of the rate comparison is provided (See Table 1).

4. Surgical Site Infections (SSI) – Abdominal Hysterectomies and Colon Surgeries

Abdominal Hysterectomies

Short-term acute care hospitals

SSIs are reported among female adults 18 years or older following inpatient abdominal hysterectomies. Only SSIs that occurred at the primary incision site within 30 days of the surgery are included in the report. Infections are not included if they occurred after 30 days post-operation or if they involved only the skin or subcutaneous tissues. Finally, if patient age or the American Society of Anesthesiologists (ASA) score was missing for a surgery, it was classified as an “incomplete procedure” and is not included in the final count of surgeries. The content for this section is similar to the CLABSI and CAUTI sections.

Colon Surgeries

Short-term acute care hospitals

SSIs are reported among adults 18 years or older following inpatient colon surgeries. Only SSIs that occurred at the primary incision site within 30 days of surgery are included in the report. Infections are not included if they occurred after 30 days post-operation or if they involved only the skin or subcutaneous tissues. Finally, if patient age or the American Society of Anesthesiologists (ASA) score was missing for a surgery, it was classified as an “incomplete procedure” and is not included in the final count of surgeries. The content for this section is similar to the CLABSI and CAUTI sections.

5. Commentary from Hospital

This section includes hospital comments on their HAI data and current infection control activities. Hospitals can provide a link to their hospital website to provide lengthier comments.

Statistics

For a detailed explanation of statistics included in the HAI reports, see the N.C.DHHS HAI in N.C. report issued October 2012 and revised June 2013 (<http://epi.publichealth.nc.gov/cd/hai/figures.html>). Explanations on concepts such as statistical significance and computation of measures including rates and standardized infection ratios (SIRs) are provided.

For further explanation of the HAI tables and graphs presented for each hospital, consult Chapter II of the January 2013 N.C. HAI report for Healthcare Consumers, pages 2-6 (<http://epi.publichealth.nc.gov/cd/hai/figures.html>).

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

ARHS-Watauga Medical Center, Boone, Watauga County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Undergraduate
 Profit Status: Not for Profit
 Admissions in 2012: 5,016
 Patient Days in 2012: 19,424
 Total Number of Beds: 110
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.91

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	225	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	324	3.09

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	8	.
Colon surgery	0	11	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Alamance Regional Medical Center, Burlington, Alamance County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 11,708
 Patient Days in 2012: 43,684
 Total Number of Beds: 202
 Number of ICU Beds: 32
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.50

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	776	1.29

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	6	875	6.86

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	46	0
Colon surgery	1	25	4

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Albemarle Health Authority, Elizabeth City, Pasquotank County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,969
 Patient Days in 2012: 20,641
 Total Number of Beds: 135
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.74

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	264	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	444	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	0.00	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	22	0
Colon surgery	0	21	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	0.00	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Annie Penn Hospital, Reidsville, Rockingham County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 3,528
 Patient Days in 2012: 14,348
 Total Number of Beds: 110
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.91

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	142	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	312	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	10	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

Cone Health is committed to preventing Healthcare Associated Infections. We have dedicated teams of experts focused on process improvements to improve our patient outcomes. Please contact Cone Health Infection Prevention if you would like further information.


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013


Anson Community Hospital, Wadesboro, Anson County

2012 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	No
Profit Status:	Not for Profit
Admissions in 2012:	558
Patient Days in 2012:	1,778
Total Number of Beds:	30
Number of ICU Beds:	0
FTE* Infection Preventionists:	0.38
Number of FTEs* per 100 beds:	1.25



Central Line-Associated Bloodstream Infections (CLABSI)



This hospital does not have intensive care units (ICUs).

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

This hospital does not have intensive care units (ICUs).




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 1. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	0	.

*Infections from deep incisional and/or organ space.
Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
A comparison to similarly-sized hospitals was not conducted.
A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
A comparison to similarly-sized hospitals was not conducted.
A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
No comments provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
 Asheville Specialty Hospital, Asheville, Buncombe County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 363
 Patient Days in 2012: 9,314
 Total Number of Beds: 34
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 2.94



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	2	1,611	1.24

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	1	798	1.25

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:
 No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Betsy Johnson Regional, Dunn, Harnett County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 6,936
 Patient Days in 2012: 27,243
 Total Number of Beds: 101
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.99

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	109	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	251	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	9	.
Colon surgery	0	6	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Blue Ridge Healthcare Hospitals - Valdese Campus, Valdese, Burke County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Graduate
 Profit Status: Not for Profit
 Admissions in 2012: 2,103
 Patient Days in 2012: 8,193
 Total Number of Beds: 131
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.76

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	3.73	1.30
Rate	0.00	1.03	1.07
Lower Limit	.	0.13	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	94	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	223	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.67	2.92
Rate	0.00	1.69	2.59
Lower Limit	.	0.62	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.60	1.49
Rate	.	1.11	1.00
Lower Limit	.	0.74	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	17	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.72	3.69
Rate	.	3.01	2.97
Lower Limit	.	2.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Blue Ridge Healthcare Hospitals Valdese. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Blue Ridge Healthcare Hospitals, Inc. - Morganton Campus, Morganton, Burke County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Graduate
 Profit Status: Not for Profit
 Admissions in 2012: 6,178
 Patient Days in 2012: 25,269
 Total Number of Beds: 184
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.54

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	3.73	1.30
Rate	0.00	1.03	1.07
Lower Limit	.	0.13	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	101	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	354	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.67	2.92
Rate	0.00	1.69	2.59
Lower Limit	.	0.62	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.60	1.49
Rate	.	1.11	1.00
Lower Limit	.	0.74	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	3	.
Colon surgery	0	15	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.72	3.69
Rate	.	3.01	2.97
Lower Limit	.	2.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Blue Ridge Healthcare Hospitals Morganton. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Blue Ridge Regional Hospital, Spruce Pine, Mitchell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 2,177
 Patient Days in 2012: 6,545
 Total Number of Beds: 46
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 0.88
 Number of FTEs* per 100 beds: 1.90

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	17	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	80	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	1	3	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Brunswick Novant Medical Center, Bolivia, Brunswick County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 3,847
 Patient Days in 2012: 13,557
 Total Number of Beds: 74
 Number of ICU Beds: 5
 FTE* Infection Preventionists: 0.60
 Number of FTEs* per 100 beds: 0.81

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	73	13.7

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	214	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	8	.
Colon surgery	0	11	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Caldwell Memorial Hospital, Lenoir, Caldwell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Undergraduate
 Profit Status: Not for Profit
 Admissions in 2012: 6,081
 Patient Days in 2012: 21,761
 Total Number of Beds: 82
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.22

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	444	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	611	1.64

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	5	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Cape Fear Valley Health System, Fayetteville, Cumberland County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 29,287
 Patient Days in 2012: 168,810
 Total Number of Beds: 612
 Number of ICU Beds: 90
 FTE* Infection Preventionists: 4.25
 Number of FTEs* per 100 beds: 0.69

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	9	2,424	3.71

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is higher than similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	12	2,832	4.24

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	2	139	1.44
Colon surgery	0	72	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
 CarePartners Health Services, Asheville, Buncombe County

2012 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility
 Profit Status: Not for Profit
 Admissions in 2012: 1,311
 Patient Days in 2012: 17,130
 Total Number of Beds: 80
 FTE* Infection Preventionists: 0.30
 Number of FTEs* per 100 beds: 0.38



*FTE = Full-time equivalent

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Wards	1	428	2.34

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from all reporting inpatient rehabilitation wards in NC.

Other Healthcare-Associated Infections (HAIs)

Inpatient rehabilitation facilities (IRFs) do not report CLABSIs, LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

CarolinaEast Medical Center, New Bern, Craven County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 15,118
 Patient Days in 2012: 61,709
 Total Number of Beds: 350
 Number of ICU Beds: 33
 FTE* Infection Preventionists: 3.00
 Number of FTEs* per 100 beds: 0.86

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	2.06	1.30
Rate	0.00	1.12	1.07
Lower Limit	.	0.54	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	733	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	906	2.21

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.80	1.49
Rate	0.00	0.62	1.00
Lower Limit	.	0.13	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	23	0
Colon surgery	2	37	5.41

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 47,478
 Patient Days in 2012: 260,098
 Total Number of Beds: 880
 Number of ICU Beds: 218
 FTE* Infection Preventionists: 5.00
 Number of FTEs* per 100 beds: 0.57

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	1.46	1.47	1.30
Rate	0.57	1.02	1.07
Lower Limit	0.15	0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	4	7,035	0.57

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	33	6,886	4.79

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.

Upper Limit	6.43	2.69	2.92
Rate	4.79	2.17	2.59
Lower Limit	3.16	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	5.10	1.85	1.49
Rate	1.74	0.90	1.00
Lower Limit	0.36	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	3	172	1.74
Colon surgery	4	102	3.92

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	10.04	3.59	3.69
Rate	3.92	2.24	2.97
Lower Limit	1.07	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center-Lincoln, Lincoln County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,060
 Patient Days in 2012: 15,160
 Total Number of Beds: 101
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.50

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	209	4.78

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	437	2.29

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	10	.
Colon surgery	0	7	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center-Mercy, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type:	Acute Care Hospital
Medical Affiliation:	Graduate
Profit Status:	Not for Profit
Admissions in 2012:	8,119
Patient Days in 2012:	37,889
Total Number of Beds:	162
Number of ICU Beds:	30
FTE* Infection Preventionists:	1.00
Number of FTEs* per 100 beds:	0.62

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	653	3.06

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	4	870	4.6

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	21	0
Colon surgery	1	24	4.17

*Infections from deep incisional and/or organ space.
Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center- Northeast, Concord, Cabarrus County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 24,359
 Patient Days in 2012: 115,302
 Total Number of Beds: 457
 Number of ICU Beds: 52
 FTE* Infection Preventionists: 3.00
 Number of FTEs* per 100 beds: 0.66

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	1,199	1.67

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	8	1,799	4.45

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	2	86	2.33
Colon surgery	3	60	5

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center-Pineville, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 13,072
 Patient Days in 2012: 48,692
 Total Number of Beds: 206
 Number of ICU Beds: 40
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.49

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	839	2.38

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	3	1,110	2.7

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	93	0
Colon surgery	0	32	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center-Union, Monroe, Union County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Graduate
 Profit Status: Not for Profit
 Admissions in 2012: 8,306
 Patient Days in 2012: 36,527
 Total Number of Beds: 171
 Number of ICU Beds: 14
 FTE* Infection Preventionists: 2.00
 Number of FTEs* per 100 beds: 1.17

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	363	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	654	3.06

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	11.05	1.79	2.92
Rate	3.06	1.13	2.59
Lower Limit	0.37	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	16	.
Colon surgery	0	22	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	0.00	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carolinas Medical Center-University, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 7,200
 Patient Days in 2012: 27,710
 Total Number of Beds: 94
 Number of ICU Beds: 15
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.06

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	365	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	4	425	9.41

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	0.00	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	22	0
Colon surgery	1	25	4

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	22.29	3.30	3.69
Rate	4.00	1.80	2.97
Lower Limit	0.10	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.


NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
 Carolinas Rehabilitation, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Inpatient Rehabilitation Facility
 Profit Status: Not for Profit
 Admissions in 2012: 2,858
 Patient Days in 2012: 43,580
 Total Number of Beds: 159
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.63



*FTE = Full-time equivalent

Catheter-Associated Urinary Tract Infections (CAUTI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Wards	3	970	3.09

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from all reporting inpatient rehabilitation wards in NC.

Other Healthcare-Associated Infections (HAIs)

Inpatient rehabilitation facilities (IRFs) do not report CLABSIs, LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Carolinas Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.


NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
 Carolinas Specialty Hospital, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: Not for Profit
 Admissions in 2012: 418
 Patient Days in 2012: 12,155
 Total Number of Beds: 40
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 2.50



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	1	1,658	0.6

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	3	1,766	1.7

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Carteret General Hospital, Morehead City, Carteret County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 6,938
 Patient Days in 2012: 24,581
 Total Number of Beds: 135
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.50
 Number of FTEs* per 100 beds: 1.11

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	169	11.8

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	274	3.65

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	5	.
Colon surgery	0	24	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Catawba Valley Medical Center, Hickory, Catawba County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 11,936
 Patient Days in 2012: 50,246
 Total Number of Beds: 190
 Number of ICU Beds: 32
 FTE* Infection Preventionists: 1.50
 Number of FTEs* per 100 beds: 0.79

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	653	1.53

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	819	2.44

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	20	0
Colon surgery	0	18	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Central Carolina Hospital, Sanford, Lee County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 6,073
 Patient Days in 2012: 20,184
 Total Number of Beds: 108
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.46

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	240	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	348	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	8	.
Colon surgery	0	10	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Cleveland Regional Medical Center, Shelby, Cleveland County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 9,479
 Patient Days in 2012: 34,460
 Total Number of Beds: 241
 Number of ICU Beds: 18
 FTE* Infection Preventionists: 1.50
 Number of FTEs* per 100 beds: 0.62

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	589	1.7

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	942	1.06

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	28	0
Colon surgery	1	21	4.76

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Cleveland County Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Columbus Regional Healthcare System, Whiteville, Columbus County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,000
 Patient Days in 2012: 21,864
 Total Number of Beds: 106
 Number of ICU Beds: 9
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.94

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	143	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	245	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	12	.
Colon surgery	0	20	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Columbus Regional Healthcare System. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Crawley Memorial Hospital, Shelby, Cleveland County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: Not for Profit
 Admissions in 2012: 146
 Patient Days in 2012: 3,914
 Total Number of Beds: 41
 FTE* Infection Preventionists: 0.80
 Number of FTEs* per 100 beds: 1.95



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	0	306	0.00

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	0	631	0.00

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Davis Regional Medical Center, Statesville, Iredell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 4,817
 Patient Days in 2012: 32,874
 Total Number of Beds: 130
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.77

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	111	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	348	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	12	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Duke Raleigh Hospital, Raleigh, Wake County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 7,762
 Patient Days in 2012: 33,489
 Total Number of Beds: 148
 Number of ICU Beds: 15
 FTE* Infection Preventionists: 2.00
 Number of FTEs* per 100 beds: 1.35

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	347	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	618	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	28	0
Colon surgery	1	52	1.92

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Duke University Hospital, Durham, Durham County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 32,524
 Patient Days in 2012: 269,913
 Total Number of Beds: 850
 Number of ICU Beds: 128
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.12

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	9	7,176	1.25

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	11	5,299	2.08

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	99	0
Colon surgery	3	69	4.35

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Durham Regional Hospital, Durham, Durham County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 13,513
 Patient Days in 2012: 71,069
 Total Number of Beds: 301
 Number of ICU Beds: 22
 FTE* Infection Preventionists: 2.50
 Number of FTEs* per 100 beds: 0.83

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	964	2.07

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	3	1,207	2.49

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	78	0
Colon surgery	0	14	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

FirstHealth Moore Regional Hospital, Pinehurst, Moore County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 28,040
 Patient Days in 2012: 113,623
 Total Number of Beds: 528
 Number of ICU Beds: 69
 FTE* Infection Preventionists: 4.00
 Number of FTEs* per 100 beds: 0.76

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	1,450	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	7	1,982	3.53

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	13	.
Colon surgery	0	40	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

Over the past year, FirstHealth has strived to continue to reduce our infections by continuing to educate staff on infection prevention, emphasizing hand hygiene, and following all evidence based practices to reduce infections. We have worked to decrease use of urinary catheters and worked with our operating room to assure all measures are taken to prevent surgical site infections such as appropriate use of antibiotics. We are also participating in the Partnership for Patients Collaborative with the North Carolina Quality Center.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Forsyth Medical Center, Winston Salem, Forsyth County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 44,597
 Patient Days in 2012: 224,879
 Total Number of Beds: 861
 Number of ICU Beds: 128
 FTE* Infection Preventionists: 4.00
 Number of FTEs* per 100 beds: 0.46

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	2.23	1.47	1.30
Rate	0.76	1.02	1.07
Lower Limit	0.16	0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	3	3,932	0.76

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	9	4,437	2.03

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	3.85	2.69	2.92
Rate	2.03	2.17	2.59
Lower Limit	0.93	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	-	1.85	1.49
Rate	0.00	0.90	1.00
Lower Limit	-	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	44	0
Colon surgery	2	61	3.28

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	11.84	3.59	3.69
Rate	3.28	2.24	2.97
Lower Limit	0.40	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Franklin Regional Medical Center, Louisburg, Franklin County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 2,000
 Patient Days in 2012: 4,539
 Total Number of Beds: 70
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.71

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	3.73	1.30
Rate	.	1.03	1.07
Lower Limit	.	0.13	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	38	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	90	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.67	2.92
Rate	0.00	1.69	2.59
Lower Limit	.	0.62	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.60	1.49
Rate	.	1.11	1.00
Lower Limit	.	0.74	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	0	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.72	3.69
Rate	.	3.01	2.97
Lower Limit	.	2.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Frye Regional Medical Center, Hickory, Catawba County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 11,799
 Patient Days in 2012: 62,357
 Total Number of Beds: 355
 Number of ICU Beds: 30
 FTE* Infection Preventionists: 1.90
 Number of FTEs* per 100 beds: 0.54

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	859	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	5	1,215	4.12

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	15	.
Colon surgery	0	21	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

FRMC has zero central line blood stream infections. We implemented an alcohol impregnated port protector that guards against infection by keeping the needless valves of central lines protected and clean. Foley catheter related urinary tract infection is a challenge and we continue to work on removing the catheter when not necessary. Our commitment to the prevention of infections is a goal we take very seriously. Our commitment to our community to make certain our processes and policies are in line with achieving zero infections.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Gaston Memorial Hospital, Gastonia, Gaston County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 21,494
 Patient Days in 2012: 101,419
 Total Number of Beds: 402
 Number of ICU Beds: 44
 FTE* Infection Preventionists: 4.00
 Number of FTEs* per 100 beds: 1.00

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	1,526	0.66

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	1,532	1.31

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	34	0
Colon surgery	2	36	5.56

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Granville Medical Center, Oxford, Granville County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Government
 Admissions in 2012: 4,177
 Patient Days in 2012: 12,080
 Total Number of Beds: 62
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.81

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	116	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	181	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	2	.
Colon surgery	0	4	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Halifax Regional Medical Center, Roanoke Rapids, Halifax County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 6,098
 Patient Days in 2012: 26,128
 Total Number of Beds: 128
 Number of ICU Beds: 12
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.78

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	102	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	387	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	11	.
Colon surgery	0	5	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Haywood Regional Medical Center, Clyde, Haywood County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 6,758
 Patient Days in 2012: 23,556
 Total Number of Beds: 100
 Number of ICU Beds: 12
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.00

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	118	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	204	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	8	.
Colon surgery	0	5	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at MedWest-Haywood, an affiliation of Carolinas Healthcare System. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

High Point Regional Health System, High Point, Guilford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 17,719
 Patient Days in 2012: 70,226
 Total Number of Beds: 363
 Number of ICU Beds: 32
 FTE* Infection Preventionists: 2.00
 Number of FTEs* per 100 beds: 0.55

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	5.48	2.06	1.30
Rate	0.98	1.12	1.07
Lower Limit	0.02	0.54	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	1,017	0.98

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	1,705	1.17

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	4.24	3.92	2.92
Rate	1.17	2.97	2.59
Lower Limit	0.14	2.03	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	-	1.80	1.49
Rate	0.00	0.62	1.00
Lower Limit	-	0.13	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	42	0
Colon surgery	0	29	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	-	5.21	3.69
Rate	0.00	2.53	2.97
Lower Limit	-	1.02	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Highsmith Rainey Specialty Hospital, Fayetteville, Cumberland County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: Not for Profit
 Admissions in 2012: 369
 Patient Days in 2012: 21,542
 Total Number of Beds: 66
 FTE* Infection Preventionists: 0.88
 Number of FTEs* per 100 beds: 1.33



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	11	5,002	2.2

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	35	3,589	9.75

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is higher than NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Hugh Chatham Memorial Hospital, Elkin, Surry County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,405
 Patient Days in 2012: 15,974
 Total Number of Beds: 81
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 0.75
 Number of FTEs* per 100 beds: 0.93

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	77	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	75	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	25	0
Colon surgery	0	5	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Iredell Memorial Hospital, Statesville, Iredell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 9,051
 Patient Days in 2012: 40,500
 Total Number of Beds: 199
 Number of ICU Beds: 16
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.50

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	412	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.


Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	742	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.



Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	21	0
Colon surgery	0	22	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Johnston Health, Smithfield, Johnston County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 11,098
 Patient Days in 2012: 40,182
 Total Number of Beds: 199
 Number of ICU Beds: 16
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.50

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	333	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	540	1.85

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	27	3.7
Colon surgery	0	11	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.


Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
Kindred Hospital Greensboro, Greensboro, Guilford County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 470
 Patient Days in 2012: 19,442
 Total Number of Beds: 101
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.99



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	0	4,846	0.00

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	1	3,119	0.32

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is lower than NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Kings Mountain Hospital, Kings Mountain, Cleveland County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 2,274
 Patient Days in 2012: 12,000
 Total Number of Beds: 102
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.49

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	.	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	48	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	202	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	2	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Cleveland County Healthcare System hospitals. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Lake Norman Regional Medical Center, Mooresville, Iredell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 4,428
 Patient Days in 2012: 19,569
 Total Number of Beds: 123
 Number of ICU Beds: 12
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.81

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	310	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	429	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	16	.
Colon surgery	0	9	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Lenoir Memorial Hospital, Inc, Kinston, Lenoir County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 7,155
 Patient Days in 2012: 34,517
 Total Number of Beds: 216
 Number of ICU Beds: 14
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.46

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	391	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	663	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	9	.
Colon surgery	0	8	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.


Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
Lifecare Hospitals Of North Carolina, Rocky Mount, Nash County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 485
 Patient Days in 2012: 14,268
 Total Number of Beds: 50
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 2.00



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	3	2,469	1.22

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	3	1,846	1.63

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:
 No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report Data from January 1 – March 31, 2013

Maria Parham Medical Center, Henderson, Vance County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 5,576
 Patient Days in 2012: 20,886
 Total Number of Beds: 102
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.98

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	390	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	520	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	16	.
Colon surgery	1	10	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Martin General Hospital, Williamston, Martin County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 2,230
 Patient Days in 2012: 7,223
 Total Number of Beds: 49
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 2.04

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	86	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	234	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	1	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

McDowell Hospital, Marion, McDowell County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 2,805
 Patient Days in 2012: 6,373
 Total Number of Beds: 52
 Number of ICU Beds: 9
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.92

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	39	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	227	4.41

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	9	.
Colon surgery	0	1	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

MedWest-Harris Regional Hospital, Sylva, Jackson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,274
 Patient Days in 2012: 12,831
 Total Number of Beds: 94
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.06

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	138	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	296	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	4	.
Colon surgery	0	3	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013


Medical Park Hospital, Winston Salem, Forsyth County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 720
 Patient Days in 2012: 2,600
 Total Number of Beds: 22
 Number of ICU Beds: 0
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 2.27



Central Line-Associated Bloodstream Infections (CLABSI)



This hospital does not have intensive care units (ICUs).

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

This hospital does not have intensive care units (ICUs).




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 1. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	20	5
Colon surgery	3	49	6.12

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Mission Hospitals, Inc, Asheville, Buncombe County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Graduate
 Profit Status: Not for Profit
 Admissions in 2012: 56,272
 Patient Days in 2012: 213,678
 Total Number of Beds: 763
 Number of ICU Beds: 131
 FTE* Infection Preventionists: 6.00
 Number of FTEs* per 100 beds: 0.79

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	2.43	1.47	1.30
Rate	0.83	1.02	1.07
Lower Limit	0.17	0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	3	3,609	0.83

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	6	4,343	1.38

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	3.01	2.69	2.92
Rate	1.38	2.17	2.59
Lower Limit	0.51	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	4.93	1.85	1.49
Rate	0.88	0.90	1.00
Lower Limit	0.02	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	113	0.88
Colon surgery	2	118	1.69

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	6.12	3.59	3.69
Rate	1.69	2.24	2.97
Lower Limit	0.21	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Morehead Memorial Hospital, Eden, Rockingham County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,372
 Patient Days in 2012: 19,924
 Total Number of Beds: 108
 Number of ICU Beds: 9
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.93

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	35	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	321	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	9	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Moses Cone Hospital, Greensboro, Guilford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 25,719
 Patient Days in 2012: 121,023
 Total Number of Beds: 536
 Number of ICU Beds: 66
 FTE* Infection Preventionists: 3.00
 Number of FTEs* per 100 beds: 0.56

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.47	1.30
Rate	0.00	1.02	1.07
Lower Limit	.	0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	2,474	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	2,877	0.7

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	2.51	2.69	2.92
Rate	0.70	2.17	2.59
Lower Limit	0.08	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.85	1.49
Rate	.	0.90	1.00
Lower Limit	.	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	31	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.59	3.69
Rate	0.00	2.24	2.97
Lower Limit	.	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

Cone Health is committed to preventing Healthcare Associated Infections. We have dedicated teams of experts focused on process improvements to improve our patient outcomes. Please contact Cone Health Infection Prevention if you would like further information.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Murphy Medical Center, Murphy, Cherokee County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 2,176
 Patient Days in 2012: 7,512
 Total Number of Beds: 57
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.75

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	43	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.


Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	128	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.



Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	3	.
Colon surgery	0	3	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Nash Health Care Systems, Rocky Mount, Nash County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 13,583
 Patient Days in 2012: 62,057
 Total Number of Beds: 237
 Number of ICU Beds: 30
 FTE* Infection Preventionists: 2.00
 Number of FTEs* per 100 beds: 0.84

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	690	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	4	1,041	3.84

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	2	57	3.51
Colon surgery	1	16	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

New Hanover Regional Medical Center, Wilmington, New Hanover County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 36,683
 Patient Days in 2012: 182,697
 Total Number of Beds: 579
 Number of ICU Beds: 112
 FTE* Infection Preventionists: 4.00
 Number of FTEs* per 100 beds: 0.69

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	2,862	0.35

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	3	3,180	0.94

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	128	0
Colon surgery	0	111	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At New Hanover Regional Medical Center we take patient safety and quality care extremely seriously. We implement the latest science-based protocols to prevent hospital-acquired infection. We study and adopt best practices, evidence-based medicine and recommendations from national agencies to deliver the best possible outcomes for our patients. We encourage patients and their families to take an active role in helping prevent infections. Our team of infection preventionists works with all staff to ensure they are focused on delivering the highest quality of care possible. We are proud of our success and our ongoing quest to keep preventable infections to an absolute minimum.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Northern Hospital Of Surry County, Mount Airy, Surry County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,887
 Patient Days in 2012: 15,002
 Total Number of Beds: 100
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.00

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	68	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	191	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	7	.
Colon surgery	0	9	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Onslow Memorial Hospital, Jacksonville, Onslow County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 9,964
 Patient Days in 2012: 34,029
 Total Number of Beds: 162
 Number of ICU Beds: 30
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.62

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	278	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	690	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	7	.
Colon surgery	0	17	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Pardee Hospital, Hendersonville, Henderson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Graduate
 Profit Status: Not for Profit
 Admissions in 2012: 7,020
 Patient Days in 2012: 28,481
 Total Number of Beds: 222
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.45

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	99	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	336	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	0.00	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	24	0
Colon surgery	0	18	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Park Ridge Health, Hendersonville, Henderson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,862
 Patient Days in 2012: 23,135
 Total Number of Beds: 100
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.00

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	73	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	141	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	21	0
Colon surgery	0	9	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Person Memorial Hospital, Roxboro, Person County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 1,869
 Patient Days in 2012: 7,131
 Total Number of Beds: 38
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 0.40
 Number of FTEs* per 100 beds: 1.05

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	.	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	18	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	88	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	0	.
Colon surgery	0	2	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Presbyterian Hospital Charlotte, Charlotte, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 33,995
 Patient Days in 2012: 161,027
 Total Number of Beds: 609
 Number of ICU Beds: 86
 FTE* Infection Preventionists: 4.50
 Number of FTEs* per 100 beds: 0.74

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	2	2,316	0.86

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	3	1,355	2.21

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	63	1.59
Colon surgery	2	67	2.99

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Presbyterian Hospital Huntersville, Huntersville, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,700
 Patient Days in 2012: 19,849
 Total Number of Beds: 75
 Number of ICU Beds: 9
 FTE* Infection Preventionists: 0.80
 Number of FTEs* per 100 beds: 1.07

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	211	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	323	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	3	.
Colon surgery	0	10	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Presbyterian Hospital Matthews, Matthews, Mecklenburg County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 9,637
 Patient Days in 2012: 29,273
 Total Number of Beds: 117
 Number of ICU Beds: 14
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.85

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	283	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	268	3.73

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	14	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Randolph Hospital, Asheboro, Randolph County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,518
 Patient Days in 2012: 23,970
 Total Number of Beds: 119
 Number of ICU Beds: 7
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.84

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	185	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	313	3.19

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	19	.
Colon surgery	1	16	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Rex Healthcare, Raleigh, Wake County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 30,093
 Patient Days in 2012: 115,530
 Total Number of Beds: 479
 Number of ICU Beds: 38
 FTE* Infection Preventionists: 4.00
 Number of FTEs* per 100 beds: 0.84

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit		1.47	1.30
Rate	0.00	1.02	1.07
Lower Limit		0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	1,155	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	1,676	1.19

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	4.31	2.69	2.92
Rate	1.19	2.17	2.59
Lower Limit	0.14	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	6.19	1.85	1.49
Rate	1.11	0.90	1.00
Lower Limit	0.03	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	1	90	1.11
Colon surgery	5	118	4.24

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	9.89	3.59	3.69
Rate	4.24	2.24	2.97
Lower Limit	1.38	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Rowan Regional Medical Center, Salisbury, Rowan County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 9,152
 Patient Days in 2012: 43,840
 Total Number of Beds: 268
 Number of ICU Beds: 20
 FTE* Infection Preventionists: 0.75
 Number of FTEs* per 100 beds: 0.28

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	2.06	1.30
Rate	0.00	1.12	1.07
Lower Limit	.	0.54	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	487	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	1,039	1.92

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Upper Limit	6.95	3.92	2.92
Rate	1.92	2.97	2.59
Lower Limit	0.23	2.03	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.80	1.49
Rate	.	0.62	1.00
Lower Limit	.	0.13	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	3	.
Colon surgery	1	16	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	5.21	3.69
Rate	.	2.53	2.97
Lower Limit	.	1.02	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Rutherford Regional Medical Center, Rutherfordton, Rutherford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,772
 Patient Days in 2012: 20,527
 Total Number of Beds: 120
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.83

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	76	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	2	334	5.99

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	11	.
Colon surgery	2	15	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.


Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report
Data from January 1 – March 31, 2013
Sampson Regional Medical Center, Clinton, Sampson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 3,297
 Patient Days in 2012: 10,283
 Total Number of Beds: 116
 Number of ICU Beds: 12
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.86

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	22	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	224	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
-----------------	-------------	-----------	------

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Data on SSIs after abdominal hysterectomies were incomplete and not presented.

Data on SSIs after colon surgeries were incomplete and not presented.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Sandhills Regional Medical Center, Hamlet, Richmond County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: For Profit
 Admissions in 2012: 2,918
 Patient Days in 2012: 12,774
 Total Number of Beds: 64
 Number of ICU Beds: 6
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.56

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	50	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	90	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	7	.
Colon surgery	0	1	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Scotland Memorial Hospital, Laurinburg, Scotland County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 6,682
 Patient Days in 2012: 23,045
 Total Number of Beds: 104
 Number of ICU Beds: 7
 FTE* Infection Preventionists: 0.80
 Number of FTEs* per 100 beds: 0.77

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	130	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	204	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	7	.
Colon surgery	0	12	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Select Specialty Hospital, Durham, Durham, Durham County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 274
 Patient Days in 2012: 8,600
 Total Number of Beds: 30
 FTE* Infection Preventionists: 0.25
 Number of FTEs* per 100 beds: 0.83



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	2	799	2.5

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	7	794	8.82

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Select Specialty Hospital, Greensboro, Greensboro, Guilford County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 321
 Patient Days in 2012: 9,083
 Total Number of Beds: 30
 FTE* Infection Preventionists: 0.40
 Number of FTEs* per 100 beds: 1.33



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	0	1,259	0.00

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	0	1,172	0.00

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013


North Carolina Healthcare-Associated Infections Report

Data from January 1 – March 31, 2013

Select Specialty Hospital-Winston Salem, Winston Salem, Forsyth County

2012 Hospital Survey Information

Hospital Type: Long-term Acute Care Hospital
 Profit Status: For Profit
 Admissions in 2012: 432
 Patient Days in 2012: 11,697
 Total Number of Beds: 42
 FTE* Infection Preventionists: 0.35
 Number of FTEs* per 100 beds: 0.83



*FTE = Full-time equivalent

Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting Units	0	1,545	0.00

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to NC long-term acute care hospitals was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting Units	5	1,570	3.18

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from NC long-term acute care hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Other Healthcare-Associated Infections (HAIs)

Long-term acute care hospitals (LTACs) do not report LabID C. difficile, LabID MRSA Bacteremia or SSIs to the N.C. Division of Public Health.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Southeastern Regional Medical Center, Lumberton, Robeson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 17,159
 Patient Days in 2012: 73,335
 Total Number of Beds: 319
 Number of ICU Beds: 18
 FTE* Infection Preventionists: 2.00
 Number of FTEs* per 100 beds: 0.63

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	3	562	5.34

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	4	755	5.3

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	32	0
Colon surgery	1	19	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Stanly Regional Medical Center, Albemarle, Stanly County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,794
 Patient Days in 2012: 20,308
 Total Number of Beds: 119
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 0.88
 Number of FTEs* per 100 beds: 0.74

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	179	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	427	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Surgical Site Infections (SSI)

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	3	.
Colon surgery	0	12	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Thomasville Medical Center, Thomasville, Davidson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,236
 Patient Days in 2012: 22,605
 Total Number of Beds: 149
 Number of ICU Beds: 11
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.34

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	85	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	302	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	4	.
Colon surgery	0	13	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

At Novant Health, the safety of our patients comes first. Our goal is to have the lowest possible infection rates and we continually monitor infection prevention tactics for improvement opportunities. We support transparency in reporting infection rates and make common infection data available on our website. More information can be found under 'quality' on NovantHealth.org.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

UNC Health Care, Chapel Hill, Orange County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Government
 Admissions in 2012: 43,191
 Patient Days in 2012: 248,498
 Total Number of Beds: 848
 Number of ICU Beds: 171
 FTE* Infection Preventionists: 5.50
 Number of FTEs* per 100 beds: 0.65

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	9	7,185	1.25

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	23	6,771	3.4

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	4	151	2.65
Colon surgery	10	97	10.3

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

UNC Health Care is pleased that our rates of all reported healthcare-associated infections are statistically similar to similarly-sized hospitals despite care in a tertiary referral hospital for highly vulnerable populations (e.g., organ transplant, HIV infected, cancer, severely burned, and very premature infants). NC residents should be aware that the reported information is NOT corrected for the severity of illness of the hospital's patients. UNC Health Care supports the need for the data presented in this report to be validated (i.e., demonstration by independent monitors that the submitted data is correct).

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Vidant Beaufort Hospital, Washington, Beaufort County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 3,482
 Patient Days in 2012: 13,764
 Total Number of Beds: 83
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.20

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	29	.

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.


Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	77	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.



Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	2	8	.
Colon surgery	0	4	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Vidant Duplin Hospital, Kenansville, Duplin County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 3,270
 Patient Days in 2012: 15,641
 Total Number of Beds: 89
 Number of ICU Beds: 9
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.12

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	81	12.3

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	148	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	2	.
Colon surgery	0	1	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Vidant Edgecombe Hospital, Tarboro, Edgecombe County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 4,660
 Patient Days in 2012: 18,001
 Total Number of Beds: 117
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.85

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	308	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	334	2.99

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	7	.
Colon surgery	0	13	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Vidant Medical Center, Greenville, Pitt County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 46,920
 Patient Days in 2012: 265,015
 Total Number of Beds: 870
 Number of ICU Beds: 164
 FTE* Infection Preventionists: 8.00
 Number of FTEs* per 100 beds: 0.92

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	15	5,511	2.72

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	33	4,589	7.19

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is higher than similarly-sized hospitals.
 Hospital rate is higher than NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	71	0
Colon surgery	5	95	5.26

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The infection rates above reflect our initiatives to make patient care at Vidant Medical Center safe for all of our patients, and those efforts are ongoing.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).
 Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Vidant Roanoke Chowan Hospital, Ahoskie, Hertford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,787
 Patient Days in 2012: 21,244
 Total Number of Beds: 144
 Number of ICU Beds: 10
 FTE* Infection Preventionists: 0.75
 Number of FTEs* per 100 beds: 0.52

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	184	5.43

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	222	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	6	.
Colon surgery	0	7	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wake Forest Baptist Health-Lexington Medical Center, Lexington, Davidson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 4,027
 Patient Days in 2012: 10,615
 Total Number of Beds: 85
 Number of ICU Beds: 21
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 1.18

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	111	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	273	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	12	.
Colon surgery	0	7	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wake Forest University Baptist Medical Center, Winston-Salem, Forsyth County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 38,711
 Patient Days in 2012: 241,669
 Total Number of Beds: 885
 Number of ICU Beds: 176
 FTE* Infection Preventionists: 7.00
 Number of FTEs* per 100 beds: 0.79

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.56	1.30
Rate	0.00	1.18	1.07
Lower Limit	.	0.80	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	4,379	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	14	6,816	2.05

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Upper Limit	3.45	4.44	2.92
Rate	2.05	3.75	2.59
Lower Limit	1.12	3.07	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	2.71	1.49
Rate	0.00	1.31	1.00
Lower Limit	.	0.53	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	40	0
Colon surgery	4	79	5.06

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Upper Limit	12.96	8.62	3.69
Rate	5.06	5.88	2.97
Lower Limit	1.38	3.84	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

WakeMed, Raleigh, Wake County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: Major
 Profit Status: Not for Profit
 Admissions in 2012: 72,523
 Patient Days in 2012: 178,434
 Total Number of Beds: 596
 Number of ICU Beds: 116
 FTE* Infection Preventionists: 7.00
 Number of FTEs* per 100 beds: 1.17

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	3.13	1.47	1.30
Rate	1.52	1.02	1.07
Lower Limit	0.61	0.68	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	7	4,611	1.52

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	14	5,258	2.66

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.

Hospital rate is not different from NC hospitals overall.

Upper Limit	4.47	2.69	2.92
Rate	2.66	2.17	2.59
Lower Limit	1.46	1.66	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	-	1.85	1.49
Rate	0.00	0.90	1.00
Lower Limit	-	0.36	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	70	0
Colon surgery	1	44	2.27

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Upper Limit	12.66	3.59	3.69
Rate	2.27	2.24	2.97
Lower Limit	0.06	1.31	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

WakeMed Cary Hospital, Cary, Wake County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 21,834
 Patient Days in 2012: 46,563
 Total Number of Beds: 182
 Number of ICU Beds: 12
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.55

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	402	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	1	590	1.69

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	14	.
Colon surgery	2	49	4.08

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wayne Memorial Hospital, Goldsboro, Wayne County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 12,398
 Patient Days in 2012: 56,684
 Total Number of Beds: 306
 Number of ICU Beds: 16
 FTE* Infection Preventionists: 2.13
 Number of FTEs* per 100 beds: 0.69

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	934	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	6	994	6.04

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	37	0
Colon surgery	0	21	0

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wesley Long Hospital, Greensboro, Guilford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 10,239
 Patient Days in 2012: 48,589
 Total Number of Beds: 175
 Number of ICU Beds: 20
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.57

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	607	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	1,023	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	3	.
Colon surgery	1	18	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

Cone Health is committed to preventing Healthcare Associated Infections. We have dedicated teams of experts focused on process improvements to improve our patient outcomes. Please contact Cone Health Infection Prevention if you would like further information.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wilkes Regional Medical Center, North Wilkesboro, Wilkes County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 5,004
 Patient Days in 2012: 19,889
 Total Number of Beds: 130
 Number of ICU Beds: 8
 FTE* Infection Preventionists: 0.50
 Number of FTEs* per 100 beds: 0.38

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	120	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	320	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	0.00	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	.	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	1	.
Colon surgery	0	4	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

The prevention and reduction of healthcare associated infections is a top priority at Wilkes Regional Medical Center. To accomplish this, infection prevention strategies are continually assessed and measures implemented to decrease the risk for infection. These measures are based on evidence based practices and clinical guidelines. A comprehensive program is provided that encompasses patient care and patient safety.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Wilson Medical Center, Wilson, Wilson County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 8,125
 Patient Days in 2012: 34,756
 Total Number of Beds: 193
 Number of ICU Beds: 14
 FTE* Infection Preventionists: 1.50
 Number of FTEs* per 100 beds: 0.78

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)




Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	1	339	2.95

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

Hospital rate is not different from similarly-sized hospitals.
 Hospital rate is not different from NC hospitals overall.

Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	429	0

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	31	0
Colon surgery	1	7	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):
 A comparison to similarly-sized hospitals was not conducted.
 A comparison to NC hospitals overall was not conducted.




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:
 No comments provided.

North Carolina Healthcare-Associated Infections Report


Data from January 1 – March 31, 2013

Women's Hospital, Greensboro, Guilford County

2012 Hospital Survey Information

Hospital Type: Acute Care Hospital - Women's
 Medical Affiliation: No
 Profit Status: Not for Profit
 Admissions in 2012: 7,861
 Patient Days in 2012: 42,713
 Total Number of Beds: 134
 Number of ICU Beds: 40
 FTE* Infection Preventionists: 1.00
 Number of FTEs* per 100 beds: 0.75

*FTE = Full-time equivalent



Central Line-Associated Bloodstream Infections (CLABSI)

Upper Limit	.	1.68	1.30
Rate	0.00	0.85	1.07
Lower Limit	.	0.37	0.85




Figure 1. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Table 1. Number of Infections and Rate of CLABSI, Jan-Mar 2013.

	Infections	Line Days	Rate
Total for Reporting ICUs	0	455	0

Note: Rate per 1,000 central line days. Rate was not calculated if less than 50 central line days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Catheter-Associated Urinary Tract Infections (CAUTI)

Table 2. Number of Infections and Rate of CAUTI, Jan-Mar 2013.

	Infections	Catheter Days	Rate
Total for Reporting ICUs	0	42	.

Note: Rate per 1,000 catheter days. Rate was not calculated if less than 50 catheter days.

Bar Graph Interpretations:

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	1.79	2.92
Rate	.	1.13	2.59
Lower Limit	.	0.67	2.27




Figure 2. Rates and 95% Confidence Intervals, Jan-Mar 2013.

Surgical Site Infections (SSI)

Upper Limit	.	1.93	1.49
Rate	0.00	0.66	1.00
Lower Limit	.	0.14	0.64




Figure 3. Rates and 95% Confidence Intervals for Abdominal Hysterectomies, Jan-Mar 2013.

Table 3. Number of Infections and Rate of SSI, Jan-Mar 2013.

Type of Surgery	Infections*	Surgeries	Rate
Abdominal hysterectomy	0	28	0
Colon surgery	0	0	.

*Infections from deep incisional and/or organ space.
 Note: Rate per 100 inpatient surgeries. Rate was not calculated if less than 20 inpatient surgeries.

Bar Graph Interpretations (Abdominal Hysterectomies):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Bar Graph Interpretations (Colon Surgeries):

A comparison to similarly-sized hospitals was not conducted.

A comparison to NC hospitals overall was not conducted.

Upper Limit	.	3.30	3.69
Rate	.	1.80	2.97
Lower Limit	.	0.86	2.25




Figure 4. Rates and 95% Confidence Intervals for Colon Surgeries, Jan-Mar 2013.

Commentary from Hospitals:

Cone Health is committed to preventing Healthcare Associated Infections. We have dedicated teams of experts focused on process improvements to improve our patient outcomes. Please contact Cone Health Infection Prevention if you would like further information.

Refer to the HAI in NC Reference Report - October 2012 (rev June 2013) for further explanation of presented statistics (epi.publichealth.nc.gov/cd/hai/figures.html).

Data as of June 6, 2013.

NC Division of Public Health, HAI Prevention Program

NC HAI Quarterly Report (Consumer Version) - July 2013

APPENDICES

APPENDIX A. Definitions

<u>Term</u>	<u>Definition</u>
Acute care hospital	A hospital that provides acute medical care due to illness, injury or following surgery to patients hospitalized for a brief period of time.
ASA Class	Anesthesiologist's pre-operative assessment of the patient's physical condition, using the American Society of Anesthesiologists' (ASA) Classification of Physical Status. 1. Normally healthy patient 2. Patient with mild systemic disease 3. Patient with severe systemic disease that is not incapacitating 4. Patient with an incapacitating systemic disease, constant threat to life 5. Patient not expected to survive for 24 hours with or without the operation
Bacteremia	Bloodstream infection (BSI).
Beds	The number of staffed beds in a facility or patient care location. This may be different from licensed beds.
Catheter days	A daily count of the number of patients with an indwelling urinary catheter. For example, one patient with an indwelling catheter in place for two days or two patients with indwelling catheters in place for one day each would both result in two catheter days. This number is used when presenting rates of catheter-associated urinary tract infections.
Catheter-associated urinary tract infection	Urinary tract infection (UTI) that occurs in a patient who had an indwelling urinary catheter in place within the 48-hour period before the onset of the UTI.
Central line	A catheter (tube) that doctors place in a large vein in the neck, chest, or groin that ends near the heart. It is used to give medication or fluids or to collect blood for medical tests. Also known as a central venous catheter.
Central line-associated bloodstream infection	A bloodstream infection (BSI) that occurs in a patient who had a central line within the 48-hour period before the onset of the BSI and is not related to an infection at another site.
Central line days	A daily count of the number of patients with a central line. For example, one patient with a central line in place for two days or two patients with central lines in place for one day each would both result in two central line days. This number is used when presenting rates of central line-associated bloodstream infections.
Device days	A daily count of the number of patients with a specific device (<i>e.g.</i> , central line, umbilical catheter, ventilator, or urinary catheter) in the patient care location. For example, one patient with a device in place for two days or two patients with devices in place for one day each would both result in two device days. This number is used when presenting rates of infections associated with devices.
Full-time equivalent	The equivalent of one person working full time for one year: 8 hour per day at 5 days per week for 52 weeks per year = 2080 hours per year
Hand hygiene	A general term that applies to routine hand washing, antiseptic hand wash, antiseptic hand rub, or surgical hand antisepsis. <i>Routine hand washing</i> is the use of clean water and non-antimicrobial soap to remove germs, soil and other debris from the hands. <i>Antiseptic hand washing</i> is the use of water and antimicrobial soap to remove or kill germs on the hands.

<u>Term</u>	<u>Definition</u>
Hand hygiene (cont)	<p><i>Antiseptic hand rub</i> is the use of alcohol-based hand rubs to remove or destroy susceptible germs from the hands. Antiseptic hand rubs are less effective when hands are visibly dirty and against some viruses.</p> <p><i>Surgical hand antisepsis</i> is the use of water, antimicrobial soap, and a brush to remove or kill germs and takes 2-6 minutes to complete as both hands and forearms are cleaned. Water and non-antimicrobial soap can also be used but must be followed with an alcohol-based surgical hand scrub.</p>
Healthcare-associated infections	Healthcare-associated infections (HAI) are infections caused by a wide variety of common and unusual bacteria, fungi, and viruses that occur during the course of receiving medical care.
Inpatient rehabilitation facility	A facility that provides rehabilitation services after injury, illness, or surgery. These may be free-standing facilities or specialized units within a hospital.
Intensive care unit	A nursing care area that provides intensive observation, diagnosis, and therapeutic procedures for adults and/or children who are critically ill. Also referred to as critical care unit.
Laboratory-identified <i>Clostridium difficile</i>	A positive laboratory test result for <i>Clostridium difficile</i> .
Laboratory-identified Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) bacteremia	<i>Staphylococcus aureus</i> cultured from blood specimens that is oxacillin-resistant, ceftazidime-resistant, or methicillin-resistant by standard susceptibility testing methods, or by a laboratory test that is FDA-approved for MRSA detection from isolated colonies.
Long term acute care hospital	A hospital that provides acute medical care due to illness, injury or following surgery but the average length of patient stay is greater than 25 days.
Medical affiliation	<p>Affiliation with a medical school. There are four categories:</p> <p><i>Major</i> - Facility has a program for medical students and post-graduate medical training.</p> <p><i>Graduate</i> - Facility has a program for post-graduate medical training (i.e., residency and/or fellowships).</p> <p><i>Undergraduate</i> - Facility has a program for medical students only.</p> <p><i>No</i> - Hospital not affiliated with a medical school.</p>
Patient days	A daily count of the number of patients in the patient care location during a specified time period.
Rate	Describes the speed with which disease or events occur. The number of diseases or events per unit of time.
Standardized infection ratio	A ratio of observed to expected (or predicted) numbers of events that is adjusted for selected risk factors.
Surgical site infection	Infection that occurs after surgery, in the part of the body where the surgery took place.
Umbilical catheter	Long, thin plastic tubes that travel from the stump of a newborn baby's umbilical cord into the large vessels near the heart.
Urinary catheter	A drainage tube that is inserted into the urinary bladder through the urethra, is left in place, and is connected to a closed collection system.

Term

Definition

Validity (data)

The extent to which reported cases of a disease or event correspond accurately to cases of a disease or event that actually occurred.

APPENDIX B. Acronyms

ACH	Acute care hospital (short-term)
ASA	American Society of Anesthesiologists
CAUTI	Catheter-associated urinary tract infection
CCME	Carolinas Center for Medical Excellence
CCU	Critical care unit
CDB	Communicable Disease Branch
CDC	Centers for Disease Control and Prevention
<i>C. diff</i>	<i>Clostridium difficile</i>
CI	Confidence interval
CMS	Centers for Medicare and Medicaid Services
CLABSI	Central line-associated bloodstream infection
CRE	Carbapenem-resistant Enterobacteriaceae
DHHS	Department of Health and Human Services
DPH	Division of Public Health
HAI	Healthcare-associated Infections
ICU	Intensive care unit
IPs	Infection preventionists
IRF	Inpatient rehabilitation facility
LTAC	Long-term acute care hospital
MRSA	Methicillin resistant <i>Staphylococcus aureus</i>
NCHA	North Carolina Hospital Association
NHSN	National Healthcare Safety Network
NICU	Neonatal intensive (critical) care unit
SIR	Standardized infection ratio
SSI	Surgical site infection
VRE	Vancomycin-resistant <i>Enterococcus</i>

FAQs

(frequently asked questions)

about

“Catheter-Associated Bloodstream Infections”

(also known as “Central Line-Associated Bloodstream Infections”)

What is a catheter-associated bloodstream infection?

A “central line” or “central catheter” is a tube that is placed into a patient’s large vein, usually in the neck, chest, arm, or groin. The catheter is often used to draw blood, or give fluids or medications. It may be left in place for several weeks. A bloodstream infection can occur when bacteria or other germs travel down a “central line” and enter the blood. If you develop a catheter-associated bloodstream infection you may become ill with fevers and chills or the skin around the catheter may become sore and red.

Can a catheter-related bloodstream infection be treated?

A catheter-associated bloodstream infection is serious, but often can be successfully treated with antibiotics. The catheter might need to be removed if you develop an infection.

What are some of the things that hospitals are doing to prevent catheter-associated bloodstream infections?

To prevent catheter-associated bloodstream infections doctors and nurses will:

- Choose a vein where the catheter can be safely inserted and where the risk for infection is small.
- Clean their hands with soap and water or an alcohol-based hand rub before putting in the catheter.
- Wear a mask, cap, sterile gown, and sterile gloves when putting in the catheter to keep it sterile. The patient will be covered with a sterile sheet.
- Clean the patient’s skin with an antiseptic cleanser before putting in the catheter.
- Clean their hands, wear gloves, and clean the catheter opening with an antiseptic solution before using the catheter to draw blood or give medications. Healthcare providers also clean their hands and wear gloves when changing the bandage that covers the area where the catheter enters the skin.
- Decide every day if the patient still needs to have the catheter. The catheter will be removed as soon as it is no longer needed.
- Carefully handle medications and fluids that are given through the catheter.

What can I do to help prevent a catheter-associated bloodstream infection?

- Ask your doctors and nurses to explain why you need the catheter and how long you will have it.

- Ask your doctors and nurses if they will be using all of the prevention methods discussed above.
- Make sure that all doctors and nurses caring for you clean their hands with soap and water or an alcohol-based hand rub before and after caring for you.

If you do not see your providers clean their hands, please ask them to do so.

- If the bandage comes off or becomes wet or dirty, tell your nurse or doctor immediately.
- Inform your nurse or doctor if the area around your catheter is sore or red.
- Do not let family and friends who visit touch the catheter or the tubing.
- Make sure family and friends clean their hands with soap and water or an alcohol-based hand rub before and after visiting you.

What do I need to do when I go home from the hospital?

Some patients are sent home from the hospital with a catheter in order to continue their treatment. If you go home with a catheter, your doctors and nurses will explain everything you need to know about taking care of your catheter.

- Make sure you understand how to care for the catheter before leaving the hospital. For example, ask for instructions on showering or bathing with the catheter and how to change the catheter dressing.
- Make sure you know who to contact if you have questions or problems after you get home.
- Make sure you wash your hands with soap and water or an alcohol-based hand rub before handling your catheter.
- Watch for the signs and symptoms of catheter-associated bloodstream infection, such as soreness or redness at the catheter site or fever, and call your healthcare provider immediately if any occur.

If you have additional questions, please ask your doctor or nurse.

Co-sponsored by:



What is “catheter-associated urinary tract infection”?

A urinary tract infection (also called “UTI”) is an infection in the urinary system, which includes the bladder (which stores the urine) and the kidneys (which filter the blood to make urine). Germs (for example, bacteria or yeasts) do not normally live in these areas; but if germs are introduced, an infection can occur.

If you have a urinary catheter, germs can travel along the catheter and cause an infection in your bladder or your kidney; in that case it is called a catheter-associated urinary tract infection (or “CA-UTI”).

What is a urinary catheter?

A urinary catheter is a thin tube placed in the bladder to drain urine. Urine drains through the tube into a bag that collects the urine. A urinary catheter may be used:

- If you are not able to urinate on your own
- To measure the amount of urine that you make, for example, during intensive care
- During and after some types of surgery
- During some tests of the kidneys and bladder

People with urinary catheters have a much higher chance of getting a urinary tract infection than people who don’t have a catheter.

How do I get a catheter-associated urinary tract infection (CA-UTI)?

If germs enter the urinary tract, they may cause an infection. Many of the germs that cause a catheter-associated urinary tract infection are common germs found in your intestines that do not usually cause an infection there. Germs can enter the urinary tract when the catheter is being put in or while the catheter remains in the bladder.

What are the symptoms of a urinary tract infection?

Some of the common symptoms of a urinary tract infection are:

- Burning or pain in the lower abdomen (that is, below the stomach)
- Fever
- Bloody urine may be a sign of infection, but is also caused by other problems
- Burning during urination or an increase in the frequency of urination after the catheter is removed.

Sometimes people with catheter-associated urinary tract infections do not have these symptoms of infection.

Can catheter-associated urinary tract infections be treated?

Yes, most catheter-associated urinary tract infections can be treated with antibiotics and removal or change of the catheter. Your doctor will determine which antibiotic is best for you.

What are some of the things that hospitals are doing to prevent catheter-associated urinary tract infections?

To prevent urinary tract infections, doctors and nurses take the following actions.

Catheter insertion

- o Catheters are put in only when necessary and they are removed as soon as possible.
- o Only properly trained persons insert catheters using sterile (“clean”) technique.
- o The skin in the area where the catheter will be inserted is cleaned before inserting the catheter.
- o Other methods to drain the urine are sometimes used, such as
- External catheters in men (these look like condoms and are placed over the penis rather than into the penis)
- Putting a temporary catheter in to drain the urine and removing it right away. This is called intermittent urethral catheterization.

Catheter care

- o Healthcare providers clean their hands by washing them with soap and water or using an alcohol-based hand rub before and after touching your catheter.

If you do not see your providers clean their hands, please ask them to do so.

- o Avoid disconnecting the catheter and drain tube. This helps to prevent germs from getting into the catheter tube.
- o The catheter is secured to the leg to prevent pulling on the catheter.
- o Avoid twisting or kinking the catheter.
- o Keep the bag lower than the bladder to prevent urine from backflowing to the bladder.
- o Empty the bag regularly. The drainage spout should not touch anything while emptying the bag.

What can I do to help prevent catheter-associated urinary tract infections if I have a catheter?

- Always clean your hands before and after doing catheter care.
- Always keep your urine bag below the level of your bladder.
- Do not tug or pull on the tubing.
- Do not twist or kink the catheter tubing.
- Ask your healthcare provider each day if you still need the catheter.

What do I need to do when I go home from the hospital?

- If you will be going home with a catheter, your doctor or nurse should explain everything you need to know about taking care of the catheter. Make sure you understand how to care for it before you leave the hospital.
- If you develop any of the symptoms of a urinary tract infection, such as burning or pain in the lower abdomen, fever, or an increase in the frequency of urination, contact your doctor or nurse immediately.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.

If you have questions, please ask your doctor or nurse.

FAQs

(frequently asked questions)

about “Surgical Site Infections”

What is a Surgical Site Infection (SSI)?

A surgical site infection is an infection that occurs after surgery in the part of the body where the surgery took place. Most patients who have surgery do not develop an infection. However, infections develop in about 1 to 3 out of every 100 patients who have surgery.

Some of the common symptoms of a surgical site infection are:

- Redness and pain around the area where you had surgery
- Drainage of cloudy fluid from your surgical wound
- Fever

Can SSIs be treated?

Yes. Most surgical site infections can be treated with antibiotics. The antibiotic given to you depends on the bacteria (germs) causing the infection. Sometimes patients with SSIs also need another surgery to treat the infection.

What are some of the things that hospitals are doing to prevent SSIs?

To prevent SSIs, doctors, nurses, and other healthcare providers:

- Clean their hands and arms up to their elbows with an antiseptic agent just before the surgery.
- Clean their hands with soap and water or an alcohol-based hand rub before and after caring for each patient.
- May remove some of your hair immediately before your surgery using electric clippers if the hair is in the same area where the procedure will occur. They should not shave you with a razor.
- Wear special hair covers, masks, gowns, and gloves during surgery to keep the surgery area clean.
- Give you antibiotics before your surgery starts. In most cases, you should get antibiotics within 60 minutes before the surgery starts and the antibiotics should be stopped within 24 hours after surgery.
- Clean the skin at the site of your surgery with a special soap that kills germs.

What can I do to help prevent SSIs?

Before your surgery:

- Tell your doctor about other medical problems you may have. Health problems such as allergies, diabetes, and obesity could affect your surgery and your treatment.

- Quit smoking. Patients who smoke get more infections. Talk to your doctor about how you can quit before your surgery.
- Do not shave near where you will have surgery. Shaving with a razor can irritate your skin and make it easier to develop an infection.

At the time of your surgery:

- Speak up if someone tries to shave you with a razor before surgery. Ask why you need to be shaved and talk with your surgeon if you have any concerns.
- Ask if you will get antibiotics before surgery.

After your surgery:

- Make sure that your healthcare providers clean their hands before examining you, either with soap and water or an alcohol-based hand rub.

If you do not see your providers clean their hands, please ask them to do so.

- Family and friends who visit you should not touch the surgical wound or dressings.
- Family and friends should clean their hands with soap and water or an alcohol-based hand rub before and after visiting you. If you do not see them clean their hands, ask them to clean their hands.

What do I need to do when I go home from the hospital?

- Before you go home, your doctor or nurse should explain everything you need to know about taking care of your wound. Make sure you understand how to care for your wound before you leave the hospital.
- Always clean your hands before and after caring for your wound.
- Before you go home, make sure you know who to contact if you have questions or problems after you get home.
- If you have any symptoms of an infection, such as redness and pain at the surgery site, drainage, or fever, call your doctor immediately.

If you have additional questions, please ask your doctor or nurse.

Co-sponsored by:



APPENDIX D. Healthcare-Associated Infections (HAI) Advisory Group, February 2013

Deverick Anderson, MD, MPH

Duke Infection Control Outreach Network
Duke University Medical Center

Margaret A. Comin, RN, BSN, MPA

Division of Medical Assistance

Evelyn Cook, RN, CIC

APIC – N.C.
Duke Infection Control Outreach Network

Megan Davies, MD (Chair)

N.C. Division of Public Health

Chris DeRienzo, MD, MPP

Duke University Medical Center
Durham-Orange County Medical Society

Evelyn Foust, MPH, CPM

N.C. Division of Public Health

Robert M. Gabel, MD, MSc, FACOEM

Womack Army Medical Center

Teresa M. Gilbert, MT (AMT), CIC

Womack Army Medical Center

Dorothea Handron, APRN, EdD

Consumer/patient advocate

Millie R. Harding, CPA

North Carolina Hospital Association

Debbie S. Holloman, CSSBB

Consumer/patient advocate

G. Mark Holmes, PhD

UNC Gillings School of Global Public Health

Kirk Huslage, RN, BSN, MSPH, CIC

N.C. Statewide Program for Infection Control and
Epidemiology

Representative Verla Insko (Orange County)

N.C. House of Representatives

Constance (Connie) D. Jones, RN, CIC

N.C. Division of Public Health

Carol Koeble, MD, MS, CPE

N.C. Center for Hospital Quality and Patient Safety

James Lederer, MD

Novant Health Systems

Jennifer MacFarquhar, RN, MPH, CIC

N.C. Division of Public Health

Jean-Marie Maillard, MD, MSc

N.C. Division of Public Health

MJ McCaffrey, MD, CAPT USN (Ret)

Perinatal Quality Collaborative of North Carolina
UNC School of Medicine

Catherine Moore, RN, MSN

North Carolina Nurses Association

Zack Moore, MD, MPH

N.C. Division of Public Health

John Morrow, MD

N.C. Association of Local Health Directors
Pitt County Health Department

Vivek Nanda

Blue Cross and Blue Shield of North Carolina

Katie Passaretti, MD

Carolinas Metro Facilities

Sylvia I. Pegg, RN, BSN, CIC

Wake Forest Baptist Health

Charles Riddick, CEO

The Carolinas Center for Medical Excellence

William A. Rutala, PhD, MPH

N.C. Statewide Program in Infection Control and Epidemiology
UNC Health Care System

Robert L. Sautter, PhD, HCLD (ABB)

N.C. Laboratory Response Forum
Carolinas Pathology Group

Daniel J. Sexton, MD

Duke Infection Control Outreach Network
Duke University Health System

Cindi Snider, PhD, MHS

N.C. Division of Public Health

Michael E. Toedt, MD, FAAFP

Cherokee Indian Hospital

Christopher W. Woods, MD, MPH

Duke University Health System
Durham VAMC

APPENDIX E. Healthcare Facility Groupings, 2012 National Healthcare Safety Network Annual Hospital Survey

Appendix E1. Healthcare Facility Group: Short-term Acute Care Hospitals

Hospital Groups	Hospital Name	Number of Beds
1-99 Beds	Anson Community Hospital	30
	Blue Ridge Regional Hospital	46
	Brunswick Novant Medical Center	74
	Caldwell Memorial Hospital	82
	Carolinas Medical Center-University	94
	Franklin Regional Medical Center	70
	Granville Medical Center	62
	Hugh Chatham Memorial Hospital	81
	Martin General Hospital	49
	Mcdowell Hospital	52
	Medical Park Hospital	22
	Medwest-Harris Regional Hospital	94
	Murphy Medical Center	57
	Person Memorial Hospital	38
	Presbyterian Hospital Huntersville	75
	Sandhills Regional Medical Center	64
	Vidant Beaufort Hospital	83
	Vidant Duplin Hospital	89
	Wake Forest Baptist Health-Lexington MC	85
	100-199 Beds	ARHS-Watauga Medical Center
Albemarle Health Authority		135
Annie Penn Hospital		110
Betsy Johnson Regional		101
Blue Ridge Healthcare-Morganton		184
Blue Ridge Healthcare-Valdese		131
Carolinas Medical Center-Lincoln		101
Carolinas Medical Center-Mercy		162
Carolinas Medical Center-Union		171
Carteret General Hospital		135
Catawba Valley Medical Center		190
Central Carolina Hospital		108
Columbus Regional Healthcare System		106
Davis Regional Medical Center		130
Duke Raleigh Hospital		148
Halifax Regional Medical Center		128
Haywood Regional Medical Center		100
Iredell Memorial Hospital		199
Johnston Health		199
Kings Mountain Hospital		102
Lake Norman Regional Medical Center		123
Maria Parham Medical Center		102
Morehead Memorial Hospital		108
Northern Hospital Of Surry County		100
Onslow Memorial Hospital		162
Park Ridge Health		100

APPENDIX E. Healthcare Facility Groupings, 2012 National Healthcare Safety Network Annual Hospital Survey

Appendix E1. Healthcare Facility Group: Short-term Acute Care Hospitals

Hospital Groups	Hospital Name	Number of Beds
	Presbyterian Hospital Matthews	117
	Randolph Hospital	119
	Rutherford Regional Medical Center	120
	Sampson Regional Medical Center	116
	Scotland Memorial Hospital	104
	Stanly Regional Medical Center	119
	Thomasville Medical Center	149
	Vidant Edgecombe Hospital	117
	Vidant Roanoke Chowan Hospital	144
	WakeMed Cary Hospital	182
	Wesley Long Hospital	175
	Wilkes Regional Medical Center	130
	Wilson Medical Center	193
	Women's Hospital	134
200-399 Beds	Alamance Regional Medical Center	202
	CarolinaEast Medical Center	350
	Carolinas Medical Center-Pineville	206
	Cleveland Regional Medical Center	241
	Durham Regional Hospital	301
	Frye Regional Medical Center	355
	High Point Regional Health System	363
	Lenoir Memorial Hospital, Inc	216
	Nash Health Care Systems	237
	Pardee Hospital	222
	Rowan Regional Medical Center	268
	Southeastern Regional Medical Center	319
	Wayne Memorial Hospital	306
400+ Beds	Cape Fear Valley Health System	612
	Carolinas Medical Center- Northeast	457
	FirstHealth Moore Regional Hospital	528
	Forsyth Medical Center	861
	Gaston Memorial Hospital	402
	Mission Hospitals, Inc	763
	Moses Cone Hospital	536
	New Hanover Regional Medical Center	579
	Presbyterian Hospital Charlotte	609
	Rex Healthcare	479
	WakeMed	596
Primary Medical School Affiliation	Carolinas Medical Center	880
	Duke University Hospital	850
	UNC Health Care	848
	Vidant Medical Center	870
	Wake Forest University Baptist MC	885

APPENDIX E. Healthcare Facility Groupings, 2012 National Healthcare Safety Network Annual Hospital Survey

Appendix E2. Healthcare Facility Group: Long-term Acute Care Hospitals

Hospital Name

Asheville Specialty Hospital
Carolinas Specialty Hospital
Crawley Memorial Hospital
Highsmith Rainey Specialty Hospital
Kindred Hospital Greensboro
Lifecare Hospitals Of North Carolina
Select Specialty Hospital-Durham
Select Specialty Hospital-Greensboro
Select Specialty Hospital-Winston Salem

APPENDIX E. Healthcare Facility Groupings, 2012 National Healthcare Safety Network Annual Hospital Survey

Appendix E3. Healthcare Facility Group: Inpatient Rehabilitation Facilities & Wards

Hospital Name	Rehabilitation Facility or Ward
Cape Fear Valley Health System	Adult rehabilitation ward
CarePartners Health Services	Inpatient Rehabilitation Facility
CarolinaEast Medical Center	Adult rehabilitation ward
Carolinas Medical Center	Pediatric rehabilitation ward
Carolinas Rehabilitation	Inpatient Rehabilitation Facility
Catawba Valley Medical Center	Adult rehabilitation ward
Durham Regional Hospital	Adult rehabilitation ward
FirstHealth Moore Regional Hospital	Adult rehabilitation ward
Forsyth Medical Center	Adult rehabilitation ward
	Pediatric rehabilitation ward
Frye Regional Medical Center	Adult rehabilitation ward
High Point Regional Health System	Adult rehabilitation ward
Lenoir Memorial Hospital, Inc	Adult rehabilitation ward
Maria Parham Medical Center	Adult rehabilitation ward
Moses Cone Hospital	Adult rehabilitation ward
Nash Health Care Systems	Adult rehabilitation ward
New Hanover Regional Medical Center	Adult rehabilitation ward
Rowan Regional Medical Center	Adult rehabilitation ward
Scotland Memorial Hospital	Adult rehabilitation ward
Stanly Regional Medical Center	Adult rehabilitation ward
UNC Health Care	Adult rehabilitation ward
Vidant Edgecombe Hospital	Adult rehabilitation ward
Vidant Medical Center	Adult rehabilitation ward
Wake Forest University Baptist Medical Center	Adult rehabilitation ward
WakeMed	Adult rehabilitation ward